

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5142	(assign with priority) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 09:13
L2	6164	(assign same priority) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 09:13
L3	3541	(assign near2 priority) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 09:13
L4	55	(assign near2 priority near2 computer) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:43
L5	3	(assign near2 priority near2 computer).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 09:14
L6	24475	(split or divide or break) with group and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:44
L7	281	(split or divide or break) with group with computer and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:44
L8	245	(split or divide) with group with computer and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:44
L9	37	((split or divide) with group with computer).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:46

L10	2243	(send\$4 or transmit\$4) with timeout and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:47
L11	24	(send\$4 or transmit\$4) with update with timeout and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:48
L12	7	(re\$send\$4 or re\$transmit\$4) with update with timeout and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:49
L13	118	(re\$send\$4 or re\$transmit\$4) with (update or information or data) with timeout and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:50
L14	111	l13 not l12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:56
L15	2	(re\$send\$4 or re\$transmit\$4) with (update or information or data) with timeout and (alert adj2 message) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:50
L16	7	(re\$send\$4 or re\$transmit\$4) with (update or information or data) with timeout and ((alert adj2 message) or (fail\$4 adj3 transmission)) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:13
L17	7	(re\$send\$4 or re\$transmit\$4) with (update or information or data) with timeout and ((alert adj2 message) or (fail\$4 adj3 transmission) or (incomplete adj3 message)) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:55
L18	118	(re\$send\$4 or re\$transmit\$4) with (update or information or data) with timeout and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:58

L19	109	l14 not (l15 and l16)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:57
L20	1499	(714/38).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 10:57
L21	0	l20 and l19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:57
L22	11	((re\$send\$4 or re\$transmit\$4) with (update or information or data) with timeout).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 10:58
L23	3427	(fail\$4 adj2 transmission) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:13
L24	52	(fail\$4 adj2 transmission) with ((alert or fail\$4) adj2 message) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:26
L25	10679	(spit\$4 or chang\$4 or re\$group) adj2 (computer or group) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:27
L26	24	(re\$group) adj2 (computer or group) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:28
L27	2890	(split\$4) adj2 (computer or group) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:28
L28	452	((split\$4) adj2 (computer or group)).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:28

L29	3	((split\$4) adj2 (computer or group) same threshold).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:29
L30	309	((split\$4) adj2 (computer or group) and threshold) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:29
L31	82	((split\$4) adj2 (computer or group) and threshold adj2 value) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 11:29
S1	10791	(709/200,213,217,218,219,221,232,240).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:01
S2	48	(updat\$4) same (priority) same push and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:39
S4	9	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:37
S5	652	(updat\$4) same (virus or anti\$virus or Trojans or malware) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:40
S6	2	("6202153").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 17:40
S7	3131	(norton or mcafee).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:43
S8	0	S5 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:42

S9	5	S7 and updat\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:43
S10	260	(symantec or mcafee).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:55
S11	71	S10 and updat\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:44
S12	16	S10 and updat\$4 same (anti\$virus or virus) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:50
S13	7074	priority same updat\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:50
S14	3317	priority with updat\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:50
S15	762	(priority with updat\$4).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:51
S16	0	(priority with updat\$4 same (antivirus or virus)).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:51
S17	4	(priority with updat\$4 same (antivirus or virus)) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:54
S18	8219	(download\$4 or updat\$4) same priorit\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:55

S19	3831	(download\$4 or updat\$4) with priorit\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:55
S20	13	(download\$4 or updat\$4) with priorit\$4 adj2 computer and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:55
S21	13	S20 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:56
S22	10959	(symantec or netowrk associate).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:56
S23	38538	(symantec or network associate).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:56
S24	413	(symantec or "network associate").as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 17:56
S25	13	S20 not "network associate""as" and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:22
S26	3115	(assign\$4) with priority with level and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:23
S27	1295	(assign\$4) adj2 priority adj2 level and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:23
S28	3	(assign\$4) adj2 priority adj2 level and push with updat\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:25

S29	57	(assign\$4) adj2 priority adj2 level with computer and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:34
S30	228	((assign\$4) adj2 priority adj2 level).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:34
S31	41	((assign\$4) adj2 priority adj2 level).ab. and updat\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:50
S32	39	S31 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:35
S33	0	((assign\$4) adj2 priority adj2 computer\$2).ab. and updat\$4 and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:50
S34	7	((assign\$4) adj2 priority adj2 computer\$2).ab. and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:53
S35	32	((assign\$4) adj2 priority adj2 computer\$2) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:53
S36	25	S35 not S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:53
S37	8694	(assign or set) adj2 (priority) and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:02
S38	70	(assign or set) adj2 (priority) near2 computers and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:05

S39	28	(updat\$4) adj2 (many or multiple or several) adj3 computer and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:09
S40	4	(updat\$4) adj2 (many or multiple or several) adj3 computer same (broadcast or multicast)and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:06
S41	4727	(updat\$4 or patch) adj3 computer and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:09
S42	13	push with (updat\$4 or patch) adj3 computer and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:10
S43	13	S42 not S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:16
S44	50	(set) near2 priority near2 computers and @ad<="20011210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:18